Mission Specific (Removable) Instructions

Mission Specific Camouflage Coating (Removable) is an air-cured firearm finish. Start by degreasing with LCW TruStrip. Allow the parts to soak in TruStrip for a minute or two. Swish the parts in the TruStrip before removing. Allow the parts to air dry. The air dry will take only a few seconds and the TruStrip will not leave a residue. This is very important as the residual contaminates evaporate with the TruStrip and do not stay on the surface as with other degreasers. In a commercial application I recommend blasting with 60-120 grit aluminum oxide or sand. When blasting is complete, blow the dust off the parts with shop air. Do not degrease after blasting. Shake the Mission Specific aerosol can for three minutes after hearing the mixing ball. Spray with smooth even passes. If baking is desired, let part set for 15 minutes before putting it in the oven. Bake at 300°F for 45 minutes. The shelf life is 12-18 months. Call 715-723-0940 if you have any questions or if you are not getting excellent results.

To Remove: Spray Mission Specific Camouflage Coating Remover onto the finish. Work in small areas at a time, do two passes. When the finish starts to melt, bring the spray nozzle within 1-2 inches of the surface and spray in a hose like manner to wash the coating off the firearm.