Shake ‘N Bake Finishing Kit

Brought to you By:

DuraCoat® Firearm Finishes

What is DuraBake™?

DuraBake™ Enamel is an extremely durable, oven-cured finish that protects against rust and corrosion. It can be applied in as little as 15 minutes, and can be used on ferrous metals, stainless steel, aluminum, alloys, and plastics. DuraBake™ will not scratch or chip and is resistant to all types of solvents and cleaners.

Instructions:

1. Disassemble your firearm as far as you are comfortable. Prep your surface by spraying the enclosed TruStrip™ Cleaner/Degreaser causing the oil and grease to run off. Then scuff with the enclosed scrubbing pad.
2. Shake the DuraBake™ aerosol can for three minutes. Then apply in thin even coats until the parts are completely covered. Allow to air dry for 10-15 minutes.
3. Place in oven for 15 mintutes at 350 degrees F, or 3 hours at 180 degrees F. Plastics should not be baked above 180F. Only bake plastics parts that can withstand 180F.
4. Remove parts and allow to cool. A second coat can be applied at this time for the ultimate in protection if desired. To do this, repeat steps 2 and 3.